

Escala Pro LED Adjustable



Product Information

Track Lighting

The Escala Pro LED Adjustable range of track fittings are ideal for domestic or commercial applications where you want a highly efficient light source.

These large adjustable fittings are ideal for commercial applications with the benefit of being able to have the same fittings but adjust the beam angle to suit the areas you are lighting.

They come complete with a 3 year warranty

Product Features

- 3 year warranty
- Class I
- IP20
- High efficiency
- 3000K or 4000K LED
- CRI: Ra80 or Ra90
- Adjustable beam angles
- Non-Dimmable
- Instant on
- Integral driver
- Lighting designers can download photometric data from our website
- L70 30,000hrs

Product Specification

Product	Product	Wattage	ССТ	Lumens	CRI	Energy	Protection	Beam	Warranty
Code	Description	(W)	(К)	(lm)	(Ra)	Efficiency Class 2021	Class	Angle	
KSR6534BLK	Escala Pro 46W LED Adjustable Beam Track Fitting in Black	46	3000	FL - 4203 NFL - 4327 SP - 4336	93	F	1	22~60°	3 Years
KSR6534WH	Escala Pro 46W LED Adjustable Beam Track Fitting in White	46	3000	FL - 4314 NFL - 4328 SP - 4338	93	F	1	22~60°	3 Years
KSR6535BLK	Escala Pro 46W LED Adjustable Beam Track Fitting in Black	46	4000	FL - 4663 NFL - 4831 SP - 4765	91	F	1	22~60°	3 Years
KSR6535WH	Escala Pro 46W LED Adjustable Beam Track Fitting in White	46	4000	FL - 4986 NFL - 4976 SP - 4776	91	F	1	22~60°	3 Years
Accessories		·		·					
KSR6414	Escala 3 Circuit Track A	dapter for Esc	ala Pro S	Single Circuit T	rack				

50-60Hz
-20°c~+40°c
< 0.5 sec
20

Construction

Body:	Cast Aluminium
Lens:	Polycarbonate

Standards


BSEN60598-1:2021 Luminaires – Part 1: General requirements and tests

In Conformity with


LVD	Low voltage directive 2014/35/EU
EMC	Electromagnetic compatibility directive 2014/30/EU
ERP	Energy related products directive 2019/2020/EC
RoHS	Restriction of hazardous substances 2015/863/EU

www.ksrlighting.com

Product Dimensions



KSR6534-5



KSR6414

KSR Lighting is constantly developing and improving its products. For this reason, all product descriptions in this data sheet are intended as a general guide, and KSR may change specifications from time to time in the interest of product development, without prior notification or public announcement. All descriptions in this data sheet present only general particulars of the goods to which they refer and shall not form part of any contract. Data in this guide has been obtained in controlled experimental conditions. However, KSR Lighting cannot accept any liability arising from the reliance on such data to the extent permitted.

www.ksrlighting.com