

Milan Range

Wall Lights



Data Sheet

Product Information

The Milan LED wall lights are modern high output luminaires. Designed for areas such as hotels, residential bedrooms, etc.

Comes with a 2 year warranty for your peace of mind.

Product Features

- 3 year warranty
- High efficiency
- IP20
- Instant on
- CRI: Ra93
- Non-Dimmable
- Fully integrated driver
- L70/B30 – 30,000hrs

Product Specification

Product Code	Product Description	Wattage (W)	CCT (K)	Lumens (lm)	CRI (Ra)	Energy Efficiency Class 2021	Protection Class	USB Output
KSR7286	Milan 5W 3000K LED Bedside Light	5	3000	455	93	G	I	N/A

Nominal voltage	220~240VAC
Operating frequency	50/60Hz
Circuit Wattage	6.4w including driver losses
Circuit Current	0.031A
Driver Current Rating	500mA
PFC	0.88
In Rush Current	0.533A Max Peak @ 0~40ms
Ambient temperature range	0°c to +40°c
IP rating	20

Construction

Body: Aluminium
Lens: Polycarbonate


Standards

BSEN60598-1:2021 Luminaires – Part 1: General requirements and tests

In Conformity with

LVD Low voltage directive 2014/35/EU
EMC Electromagnetic compatibility directive 2014/30/EU
ERP Energy related products directive 2019/2020/EC
RoHS Restriction of hazardous substances 2015/863/EU

Product Dimensions



KSR Lighting is constantly developing and improving its products. For this reason, all product descriptions in this data sheet are intended as a general guide, and KSR may change specifications from time to time in the interest of product development, without prior notification or public announcement. All descriptions in this data sheet present only general particulars of the goods to which they refer and shall not form part of any contract. Data in this guide has been obtained in controlled experimental conditions. However, KSR Lighting cannot accept any liability arising from the reliance on such data to the extent permitted.