




# Aspen Plates D70, D75 & D95 for Aspen Downlights

*Exterior Recessed Lighting*



Data Sheet

## Product Information

The KSR **Aspen Plate** range offers **non-fire-rated** recessed plates for each of the three **Aspen Downlight** sizes, including single square, twin, triple, quad, and quintet oblong plates. These options provide even more versatility for exquisite installations, making the Firebreak Aspen the perfect choice for a wide variety of lighting needs. **Downlights sold separately.**

## Product Features

- 1-year warranty
- IP20
- Non-Fire Rated
- For use with the Aspen Firebreak Downlight Range
- Range of 3 Sizes
- 5 sizes per Range - Single Square, Twin, Triple, Quad & Quintet
- Black or White Finish

<b>Product Code</b>	<b>Product Description</b>	<b>Product Dimensions (All plates are 4mm Thick)</b>	<b>Cut-Out Dimensions</b>
KSRDL530	Aspen D70 Single Plate White – for use with KSRDL480	90mm x 90mm	70mm x 70mm
KSRDL531	Aspen D70 Single Plate Black – for use with KSRDL481	90mm x 90mm	70mm x 70mm
KSRDL532	Aspen D70 Twin Plate White – for use with KSRDL480	170mm x 90mm	150mm x 70mm
KSRDL533	Aspen D70 Twin Plate Black – for use with KSRDL481	170mm x 90mm	150mm x 70mm
KSRDL534	Aspen D70 Triple Plate White – for use with KSRDL480	248mm x 90mm	229mm x 70mm
KSRDL535	Aspen D70 Triple Plate Black – for use with KSRDL481	248mm x 90mm	229mm x 70mm
KSRDL536	Aspen D70 Quad Plate White – for use with KSRDL480	328mm x 90mm	308mm x 70mm
KSRDL537	Aspen D70 Quad Plate Black – for use with KSRDL481	328mm x 90mm	308mm x 70mm
KSRDL538	Aspen D70 Quintet Plate White – for use with KSRDL480	408mm x 90mm	387mm x 70mm
KSRDL539	Aspen D70 Quintet Plate Black – for use with KSRDL481	408mm x 90mm	387mm x 70mm
KSRDL540	Aspen D78 Single Plate White – for use with KSRDL482	98mm x 98mm	78mm x 78mm
KSRDL541	Aspen D78 Single Plate Black – for use with KSRDL483	98mm x 98mm	78mm x 78mm
KSRDL542	Aspen D78 Twin Plate White – for use with KSRDL482	186mm x 98mm	166mm x 78mm
KSRDL543	Aspen D78 Twin Plate Black – for use with KSRDL483	186mm x 98mm	166mm x 78mm
KSRDL544	Aspen D78 Triple Plate White – for use with KSRDL482	278mm x 98mm	253mm x 78mm
KSRDL545	Aspen D78 Triple Plate Black – for use with KSRDL483	278mm x 98mm	253mm x 78mm
KSRDL546	Aspen D78 Quad Plate White – for use with KSRDL482	360mm x 98mm	340mm x 78mm
KSRDL547	Aspen D78 Quad Plate Black – for use with KSRDL483	360mm x 98mm	340mm x 78mm
KSRDL548	Aspen D78 Quintet Plate White – for use with KSRDL482	448mm x 98mm	428mm x 78mm
KSRDL549	Aspen D78 Quintet Plate Black – for use with KSRDL483	448mm x 98mm	428mm x 78mm
KSRDL550	Aspen D95 Single Plate White – for use with KSRDL484	115mm x 115mm	90.5mm x 90.5mm
KSRDL551	Aspen D95 Single Plate Black – for use with KSRDL485	115mm x 115mm	90.5mm x 90.5mm
KSRDL552	Aspen D95 Twin Plate White – for use with KSRDL484	220mm x 115mm	196mm x 90.5mm
KSRDL553	Aspen D95 Twin Plate Black – for use with KSRDL485	220mm x 115mm	196mm x 90.5mm
KSRDL554	Aspen D95 Triple Plate White – for use with KSRDL484	325mm x 115mm	300.5mm x 90.5mm
KSRDL555	Aspen D95 Triple Plate Black – for use with KSRDL485	325mm x 115mm	300.5mm x 90.5mm
KSRDL556	Aspen D95 Quad Plate White – for use with KSRDL484	430mm x 115mm	405mm x 90.5mm
KSRDL557	Aspen D95 Quad Plate Black – for use with KSRDL485	430mm x 115mm	405mm x 90.5mm


KSRDL558	Aspen D95 Quintet Plate White – for use with KSRDL484	535mm x 115mm	510mm x 90.5mm
KSRDL559	Aspen D95 Quintet Plate Black – for use with KSRDL485	535mm x 115mm	510mm x 90.5mm

## Construction


Body: Aluminium

## Product Dimensions


### KSRDL530-KSRDL539 - Aspen D70 Plates (4mm Th'k)



**KSRDL540-KSRDL549 - Aspen D78 Plates (4mm Th'k)**



**KSRDL550-KSRDL559 - Aspen D95 Plates (4mm Th'k)**



KSR Lighting is constantly developing and improving its products. For this reason, all product descriptions in this data sheet are intended as a general guide, and KSR may change specifications from time to time in the interest of product development, without prior notification or public announcement. All descriptions in this data sheet present only general particulars of the goods to which they refer and shall not form part of any contract. Data in this guide has been obtained in controlled experimental conditions. However, KSR Lighting cannot accept any liability arising from the reliance on such data to the extent permitted.