

Cortina LED Wall Recessed Range

Residential

Data Sheet

Product Information

Elevate your space with the sleek and versatile **KSR Cortina LED recessed wall** Range. Designed with both functionality and style in mind, at only **60mm** diameter or square these fittings offer an inobtrusive **low level** option to suit any environment.

Enjoy a warm and inviting ambiance with the 2700K or 3000K colour temperatures. And with 4000K Achieve a seamless and streamlined look with recessed installation, minimising visual clutter and maximizing aesthetic appeal. Illuminate Stairwells, hallways, kitchens or any area at low level with the Cortina fittings to enhance both functionality and ambiance.

Complete with a 3-year warranty for your peace of mind.

Product Features

- 3-year warranty
- IP20
- Class II
- 1.2W LED
- 3CCT Colour Temperature Selectable 2700K, 3000K or 4000K
- 4 Designs – Slot, Triangle, Round or Square
- 3 Finishes – Black, Brushed Brass or White
- Magnetic Front Plates
- Supplied complete with LED Driver
- CRI: Ra>80
- Non-dimmable
- L70/B30 – 30,000hrs


KSR7372



KSR7377



KSR7379 - Lit



Product Specification

Product Code	Product Description	Wattage (W)	CCT (K)	Lumens (lm)	CRI (Ra)	Energy Efficiency Class 2021	Protection Class
KSR7370	Cortina 1.2W 3CCT LED Wall Slot recessed Light White	1.2W	2700K	60	>80	F	II
			3000K				
			4000K				
KSR7371	Cortina 1.2W 3CCT LED Wall Slot recessed Light Black	1.2W	2700K	30	>80	F	II
			3000K				
			4000K				
KSR7372	Cortina 1.2W 3CCT LED Wall Slot recessed Light Brushed Brass	1.2W	2700K	50	>80	F	II
			3000K				
			4000K				
KSR7373	Cortina 1.2W 3CCT LED Wall Triangle recessed Light White	1.2W	2700K	60	>80	F	II
			3000K				
			4000K				
KSR7374	Cortina 1.2W 3CCT LED Wall Triangle recessed Light Black	1.2W	2700K	30	>80	F	II
			3000K				
			4000K				
KSR7375	Cortina 1.2W 3CCT LED Wall Triangle recessed Light Brushed Brass	1.2W	2700K	40	>80	F	II
			3000K				
			4000K				
KSR7376	Cortina 1.2W 3CCT LED Wall Round recessed Light White	1.2W	2700K	50	>80	F	II
			3000K				
			4000K				
KSR7377	Cortina 1.2W 3CCT LED Wall Round recessed Light Black	1.2W	2700K	25	>80	F	II
			3000K				
			4000K				
KSR7378	Cortina 1.2W 3CCT LED Wall Round recessed Light Brushed Brass	1.2W	2700K	40	>80	F	II
			3000K				
			4000K				
KSR7379	Cortina 1.2W 3CCT LED Wall Square recessed Light White	1.2W	2700K	60	>80	F	II
			3000K				
			4000K				
KSR7380	Cortina 1.2W 3CCT LED Wall Square recessed Light Black	1.2W	2700K	25	>80	F	II
			3000K				
			4000K				
KSR7381	Cortina 1.2W 3CCT LED Wall Square recessed Light Brushed Brass	1.2W	2700K	40	>80	F	II
			3000K				
			4000K				

Nominal voltage	220~240VAC
Operating frequency	50Hz
Driver Current	350mA
Circuit Current	0.06A
Ambient temperature range	0°C~+35°C
Start time	< 0.5 sec
IP rating	20


Construction.

Main Body: Polycarbonate


Front Plate: Steel

Product Dimensions

KSR7370-KSR7381




KSR7370-KSR7372




Cortina Slot

KSR7373-KSR7375




Cortina Triangle

KSR7376-KSR7378







Cortina Round

KSR7379-KSR7381



Cortina Square



KSR Lighting is constantly developing and improving its products. For this reason, all product descriptions in this data sheet are intended as a general guide, and KSR may change specifications from time to time in the interest of product development, without prior notification or public announcement. All descriptions in this data sheet present only general particulars of the goods to which they refer and shall not form part of any contract. Data in this guide has been obtained in controlled experimental conditions. However, KSR Lighting cannot accept any liability arising from the reliance on such data to the extent permitted.