

LUSO II GU10 SINGLE WALL LIGHT 316L STAINLESS STEEL



The Luso II External Range is perfect for lighting external walls and gardens etc, with 6 versions to choose from: a Single head, Adjustable head, Up or Down version with optional PIR, Double Up & Down versions with optional PIR & Spike version. With 3 finishes available as well as 316L Stainless Steel options the range is suitable for a magnitude of applications.



FEATURES & BENEFITS

- 1 year warranty
- Class I
- IP44 (Spike versions IP65)
- GU10 35W max.
- Available in 6 versions, Single, Adjustable Single, Up or Down, Up & Down, PIR & Spike
- Available in Black, Copper, 304 Stainless or 316L Stainless Steel
- Suitable for retro fit GU10 LED lamps
- PIR Version: Switch Time: 12 sec - 4 Mins
- Range: 4M when mounted at 2M
- Detection Angle: 110 Degree
- Minimum Lux: 9 Lux
- Not suitable for High Saline Areas – Except the 316L Stainless Steel Versions
- Products supplied less lamp(s)
- 304 Stainless Steel

PRODUCT SPECIFICATION

Product Code	Product Description	Light Source/Lamp Holder	Height (mm)	Width (mm)	Body (Material)	Depth (mm)
KSR13100	Luso II GU10 Single Wall Light Black	GU10	123	78	304 stainless steel	87
KSR13101	Luso II GU10 Single Wall Light Copper	GU10	170	78	304 stainless steel	87
KSR13102	Luso II GU10 Single Wall Light Stainless Steel	GU10	123	78	304 stainless steel	87
KSR13103	Luso II GU10 Up & Down Wall Light Black	GU10	170	78	304 stainless steel	87
KSR13104	Luso II GU10 Up & Down Wall Light Copper	GU10	170	78	304 stainless steel	87
KSR13105	Luso II GU10 Up & Down Wall Light Stainless Steel	GU10	170	78	304 stainless steel	87
KSR13106	Luso II GU10 Single Adjustable Wall Light Black	GU10	130	78	304 stainless steel	87

KSR Lighting is constantly developing and improving its products. For this reason, all product descriptions in this data sheet are intended as a general guide, and KSR may change specifications from time to time in the interest of product development, without prior notification or public announcement. All descriptions in this data sheet present only general particulars of the goods to which they refer and shall not form part of any contract. Data in this guide has been obtained in controlled experimental conditions. However, KSR Lighting cannot accept any liability arising from the reliance on such data to the extent permitted.

LUSO II GU10 SINGLE WALL LIGHT 316L STAINLESS STEEL

Product Code	Product Description	Light Source/Lamp Holder	Height (mm)	Width (mm)	Body (Material)	Depth (mm)
KSR13107	Luso II GU10 Single Adjustable Wall Light Copper	GU10	130	78	304 stainless steel	87
KSR13108	Luso II GU10 Single Adjustable Wall Light Stainless Steel	GU10	130	78	304 stainless steel	87
KSR13112	Luso II GU10 Single PIR Wall Light Black	GU10	182	60	304 stainless steel	110
KSR13113	Luso II GU10 Single PIR Wall Light Copper	GU10	182	60	304 stainless steel	110
KSR13114	Luso II GU10 Single PIR Wall Light Stainless Steel	GU10	182	60	304 stainless steel	110
KSR13115	Luso II GU10 Up & Down PIR Wall Light Black	GU10	226	60	304 stainless steel	110
KSR13116	Luso II GU10 Up & Down PIR Wall Light Copper	GU10	226	60	304 stainless steel	110
KSR13117	Luso II GU10 Up & Down PIR Wall Light Stainless Steel	GU10	226	60	304 stainless steel	110
KSR13120	Luso II GU10 Single Wall Light 316L Stainless Steel	GU10	123	78	316 stainless steel	87
KSR13121	Luso II GU10 Up & Down Wall Light 316L Stainless Steel	GU10	170	78	316 stainless steel	87

LUSO II GU10 SINGLE WALL LIGHT 316L STAINLESS STEEL

GENERAL INFORMATION

IP Rating	65	Warranty (Years)	1
Input Voltage (V)	240	Internal Or External Use	EXTERNAL
Class	I	Box Quantity	1
Product Weight (Kg)	0.4	Colour Finish	316 stainless steel

