

NISEKO 600MM 4000K LED SIGN LIGHT C/W 250MM BRACKET



Introducing the Niseko LED sign light range by KSR Lighting, a versatile solution for illuminating signage with precision and style. Available in lengths of 600mm, 1200mm, 1500mm, and 1800mm, these lights cater to various signage sizes with ease. Choose between 3000K or 4000K colour temperatures to achieve the desired ambiance. With an energy efficient 14.4W per meter. Each unit comes complete with 2 adjustable 250mm fixing brackets, allowing for flexible installation options. Illuminate your signage with confidence and efficiency using the Niseko LED sign light range from KSR Lighting



FEATURES & BENEFITS

- 3-year warranty
- IP65
- Class I
- LED Sign Light
- Up to 14.4W Per metre
- Up to 2120 Lumens per metre
- 3000K or 4000K
- 4 Sizes up to 1800mm
- c/w 2000mm Mains Cable
- Complete with two Adjustable Fixing Brackets
- CRI: >Ra86
- Black Finish with Clear Diffuser
- Integrated Non-Dimmable Driver
- Bespoke lengths available on request
- L70 - 30,000hrs



PRODUCT SPECIFICATION

Product Code	Product Description	Light Source/Lamp Holder	CRI (Ra)	Energy Class	Class	Height (mm)	Width (mm)
KSR6105	Niseko 600mm 3000K LED Sign Light c/w 250mm Bracket	INTEGRATED LED	86	E	I	72	600
KSR6106	Niseko 600MM 4000K LED Sign Light c/w 250mm Bracket	INTEGRATED LED	86	E	I	72	600

KSR Lighting is constantly developing and improving its products. For this reason, all product descriptions in this data sheet are intended as a general guide, and KSR may change specifications from time to time in the interest of product development, without prior notification or public announcement. All descriptions in this data sheet present only general particulars of the goods to which they refer and shall not form part of any contract. Data in this guide has been obtained in controlled experimental conditions. However, KSR Lighting cannot accept any liability arising from the reliance on such data to the extent permitted.

NISEKO 600MM 4000K LED SIGN LIGHT C/W 250MM BRACKET

Product Code	Product Description	Light Source/Lamp Holder	CRI (Ra)	Energy Class	Class	Height (mm)	Width (mm)
KSR6107	Niseko 1200mm 3000K LED Sign Light c/w 250mm Bracket	INTEGRATED LED	86	E	I	72	1200
KSR6108	Niseko 1200mm 4000K LED Sign Light c/w 250mm Bracket	INTEGRATED LED	86	E	I	72	1200
KSR6109	Niseko 1500mm 3000K LED Sign Light c/w 250mm Bracket	INTEGRATED LED	86	E	I	72	1500
KSR6110	Niseko 1500mm 4000K LED Sign Light c/w 250mm Bracket	INTEGRATED LED	86	E	I	72	1500
KSR6112	Niseko 1800mm 4000K LED Sign Light c/w 250mm Bracket	INTEGRATED LED	86	E	I	72	1800
KSR6111	Niseko 1800mm 3000K LED Sign Light c/w 250mm Bracket	INTEGRATED LED	86	E	I	72	1800


NISEKO 600MM 4000K LED SIGN LIGHT C/W 250MM BRACKET

GENERAL INFORMATION

IP Rating	65	Height (mm)	72
Input Voltage (V)	240	Supplied Cable Length (mm)	2000
Class	I	Internal Or External Use	INTERNAL OR EXTERNAL
Product Weight (Kg)	0.3	Energy Class	E
Depth (mm)	305	CRI (Ra)	86
Width (mm)	600	Box Quantity	1
LED Life Hrs	30000	Colour Finish	black
Warranty (Years)	3	Body (Material)	cast aluminium



Front View.



Side View.

