KSR95135


NAVARA 8W 6000K IP67 COB LED 1M STRIP WITH 1M LEAD



Our Navara COB continuous 24V IP67 LED Strip is available in 1M, 3M & 5M rolls. ideal for lighting applications where feature lighting is required at custom Lengths specific to the installation. At only 10.5mm wide this range is well suited to residential and commercial applications with or without the use of profile for seamless continuous LED lengths. Bespoke longer lengths also available:- (bespokeled@ksrlighting.com)

FEATURES & BENEFITS

- 3-year warranty
- IP20 Continuous LED.
- Available in 2700K, 3000K, 4000K & 6000K
- Dimming options - Dimmable via remote control using KSR9564 & KSR9566, Wall Controllers using KSR9564 & KSR95200-201 or KSR95207-208 with an effective range up to 30M or Rotary dimming using KSRDL292/3
- 8W or 11W per metre options
- Class II for Power supply and Class III for LED Strip
- 24V Constant Voltage
- 3M Self-adhesive Backing
- Can be cut every 50mm
- Supplied c/w 1 Metre feed tail





PRODUCT SPECIFICATION

Product Code	Product Description	Light Source/Lamp Holder	CRI (Ra)	Class	Height (mm)	Length (mm)	Width (mm)
KSR95120	Navara 8w 2700K IP20 COB LED 1M Strip with 1M Lead	INTEGRATED LED	90	III	2	1000	8
KSR95121	Navara 8w 3000K IP20 COB LED 1M Strip with 1M Lead	INTEGRATED LED	90	III	2	1000	8

KSR Lighting is constantly developing and improving its products. For this reason, all product descriptions in this data sheet are intended as a general guide, and KSR may change specifications from time to time in the interest of product development, without prior notification or public announcement. All descriptions in this data sheet present only general particulars of the goods to which they refer and shall not form part of any contract. Data in this guide has been obtained in controlled experimental conditions. However, KSR Lighting cannot accept any liability arising from the reliance on such data to the extent permitted.

KSR95135

NAVARA 8W 6000K IP67 COB LED 1M STRIP WITH 1M LEAD

Product Code	Product Description	Light Source/Lamp Holder	CRI (Ra)	Class	Height (mm)	Length (mm)	Width (mm)
KSR95122	Navara 8w 4000K IP20 COB LED 1M Strip with 1M Lead	INTEGRATED LED	90	III	2	1000	8
KSR95123	Navara 8w 6000K IP20 COB LED 1M Strip with 1M Lead	INTEGRATED LED	90	III	2	1000	8
KSR95124	Navara 8w 2700K IP20 COB LED 3M Strip with 1M Lead	INTEGRATED LED	90	III	2	3000	8
KSR95125	Navara 8w 3000K IP20 COB LED 3M Strip with 1M Lead	INTEGRATED LED	90	III	2	3000	8
KSR95126	Navara 8w 4000K IP20 COB LED 3M Strip with 1M Lead	INTEGRATED LED	90	III	2	3000	8
KSR95127	Navara 8w 6000K IP20 COB LED 3M Strip with 1M Lead	INTEGRATED LED	90	III	2	3000	8
KSR95128	Navara 8w 2700K IP20 COB LED 5M Strip with 1M Lead	INTEGRATED LED	90	III	2	5000	8
KSR95129	Navara 8w 3000K IP20 COB LED 5M Strip with 1M Lead	INTEGRATED LED	90	III	2	5000	8
KSR95130	Navara 8w 4000K IP20 COB LED 5M Strip with 1M Lead	INTEGRATED LED	90	III	2	5000	8
KSR95131	Navara 8w 6000K IP20 COB LED 5M Strip with 1M Lead	INTEGRATED LED	90	III	2	5000	8
KSR95132	Navara 8w 2700K IP67 COB LED 1M Strip with 1M Lead	INTEGRATED LED	90	III	4.5	1000	10.5

KSR Lighting is constantly developing and improving its products. For this reason, all product descriptions in this data sheet are intended as a general guide, and KSR may change specifications from time to time in the interest of product development, without prior notification or public announcement. All descriptions in this data sheet present only general particulars of the goods to which they refer and shall not form part of any contract. Data in this guide has been obtained in controlled experimental conditions. However, KSR Lighting cannot accept any liability arising from the reliance on such data to the extent permitted.

KSR95135

NAVARA 8W 6000K IP67 COB LED 1M STRIP WITH 1M LEAD

Product Code	Product Description	Light Source/Lamp Holder	CRI (Ra)	Class	Height (mm)	Length (mm)	Width (mm)
KSR95133	Navara 8w 3000K IP67 COB LED 1M Strip with 1M Lead	INTEGRATED LED	90	III	4.5	1000	10.5
KSR95134	Navara 8w 4000K IP67 COB LED 1M Strip with 1M Lead	INTEGRATED LED	90	III	4.5	1000	10.5
KSR95135	Navara 8w 6000K IP67 COB LED 1M Strip with 1M Lead	INTEGRATED LED	90	III	4.5	1000	10.5
KSR95136	Navara 8w 2700K IP67 COB LED 3M Strip with 1M Lead	INTEGRATED LED	90	III	4.5	3000	10.5
KSR95137	Navara 8w 3000K IP67 COB LED 3M Strip with 1M Lead	INTEGRATED LED	90	III	4.5	3000	10.5
KSR95138	Navara 8w 4000K IP67 COB LED 3M Strip with 1M Lead	INTEGRATED LED	90	III	4.5	3000	10.5
KSR95139	Navara 8w 6000K IP67 COB LED 3M Strip with 1M Lead	INTEGRATED LED	90	III	4.5	3000	10.5
KSR95140	Navara 8w 2700K IP67 COB LED 5M Strip with 1M Lead	INTEGRATED LED	90	III	4.5	5000	10.5
KSR95141	Navara 8w 3000K IP67 COB LED 5M Strip with 1M Lead	INTEGRATED LED	90	III	4.5	5000	10.5
KSR95142	Navara 8w 4000K IP67 COB LED 5M Strip with 1M Lead	INTEGRATED LED	90	III	4.5	5000	10.5
KSR95143	Navara 8w 6000K IP67 COB LED 5M Strip with 1M Lead	INTEGRATED LED	90	III	4.5	5000	10.5

KSR Lighting is constantly developing and improving its products. For this reason, all product descriptions in this data sheet are intended as a general guide, and KSR may change specifications from time to time in the interest of product development, without prior notification or public announcement. All descriptions in this data sheet present only general particulars of the goods to which they refer and shall not form part of any contract. Data in this guide has been obtained in controlled experimental conditions. However, KSR Lighting cannot accept any liability arising from the reliance on such data to the extent permitted.

KSR95135

NAVARA 8W 6000K IP67 COB LED 1M STRIP WITH 1M LEAD

GENERAL INFORMATION

IP Rating	67
Input Voltage (V)	24
Class	III
Dimmable	Driver dependant
Length (mm)	1000
Width (mm)	10.5
Warranty (Years)	3

Height (mm)	4.5
Supplied Cable Length (mm)	1000
Internal Or External Use	INTERNAL or EXTERNAL
CRI (Ra)	90
Box Quantity	1
Body (Material)	PCB / Silicone

KSR Lighting is constantly developing and improving its products. For this reason, all product descriptions in this data sheet are intended as a general guide, and KSR may change specifications from time to time in the interest of product development, without prior notification or public announcement. All descriptions in this data sheet present only general particulars of the goods to which they refer and shall not form part of any contract. Data in this guide has been obtained in controlled experimental conditions. However, KSR Lighting cannot accept any liability arising from the reliance on such data to the extent permitted.