KSR95159

NAVARA 11W 6000K IP67 COB LED 1M STRIP WITH 1M LEAD




Our Navara COB continuous 24V IP67 LED Strip is available in 1M, 3M & 5M rolls. ideal for lighting applications where feature lighting is required at custom Lengths specific to the installation. At only 10.5mm wide this range is well suited to residential and commercial applications with or without the use of profile for seamless continuous LED lengths. Bespoke longer lengths also available:- (bespokeled@ksrlighting.com)

FEATURES & BENEFITS

- 3-year warranty
- IP20 Continuous LED.
- Available in 2700K, 3000K, 4000K & 6000K
- Dimming options - Dimmable via remote control using KSR9564 & KSR9566, Wall Controllers using KSR9564 & KSR95200-201 or KSR95207-208 with an effective range up to 30M or Rotary dimming using KSRDL292/3
- 8W or 11W per metre options
- Class II for Power supply and Class III for LED Strip
- 24V Constant Voltage
- 3M Self-adhesive Backing
- Can be cut every 50mm
- Supplied c/w 1 Metre feed tail





PRODUCT SPECIFICATION

Product Code	Product Description	Light Source/Lamp Holder	CRI (Ra)	Class	Height (mm)	Length (mm)	Width (mm)
KSR95144	Navara 11w 2700K IP20 COB LED 1M Strip with 1M Lead	INTEGRATED LED	90	III	2	1000	8
KSR95145	Navara 11w 3000K IP20 COB LED 1M Strip with 1M Lead	INTEGRATED LED	90	III	2	1000	8

KSR Lighting is constantly developing and improving its products. For this reason, all product descriptions in this data sheet are intended as a general guide, and KSR may change specifications from time to time in the interest of product development, without prior notification or public announcement. All descriptions in this data sheet present only general particulars of the goods to which they refer and shall not form part of any contract. Data in this guide has been obtained in controlled experimental conditions. However, KSR Lighting cannot accept any liability arising from the reliance on such data to the extent permitted.

KSR95159

NAVARA 11W 6000K IP67 COB LED 1M STRIP WITH 1M LEAD

Product Code	Product Description	Light Source/Lamp Holder	CRI (Ra)	Class	Height (mm)	Length (mm)	Width (mm)
KSR95146	Navara 11w 4000K IP20 COB LED 1M Strip with 1M Lead	INTEGRATED LED	90	III	2	1000	8
KSR95147	Navara 11w 6000K IP20 COB LED 1M Strip with 1M Lead	INTEGRATED LED	90	III	2	1000	8
KSR95148	Navara 11w 2700K IP20 COB LED 3M Strip with 1M Lead	INTEGRATED LED	90	III	2	3000	8
KSR95149	Navara 11w 3000K IP20 COB LED 3M Strip with 1M Lead	INTEGRATED LED	90	III	2	3000	8
KSR95150	Navara 11w 4000K IP20 COB LED 3M Strip with 1M Lead	INTEGRATED LED	90	III	2	3000	8
KSR95151	Navara 11w 6000K IP20 COB LED 3M Strip with 1M Lead	INTEGRATED LED	90	III	2	3000	8
KSR95152	Navara 11w 2700K IP20 COB LED 5M Strip with 1M Lead	INTEGRATED LED	90	III	2	5000	8
KSR95153	Navara 11w 3000K IP20 COB LED 5M Strip with 1M Lead	INTEGRATED LED	90	III	2	5000	8
KSR95154	Navara 11w 4000K IP20 COB LED 5M Strip with 1M Lead	INTEGRATED LED	90	III	2	5000	8
KSR95155	Navara 11w 6000K IP20 COB LED 5M Strip with 1M Lead	INTEGRATED LED	90	III	2	5000	8
KSR95156	Navara 11w 2700K IP67 COB LED 1M Strip with 1M Lead	INTEGRATED LED	90	III	4.5	1000	10.5

KSR Lighting is constantly developing and improving its products. For this reason, all product descriptions in this data sheet are intended as a general guide, and KSR may change specifications from time to time in the interest of product development, without prior notification or public announcement. All descriptions in this data sheet present only general particulars of the goods to which they refer and shall not form part of any contract. Data in this guide has been obtained in controlled experimental conditions. However, KSR Lighting cannot accept any liability arising from the reliance on such data to the extent permitted.

KSR95159

NAVARA 11W 6000K IP67 COB LED 1M STRIP WITH 1M LEAD

Product Code	Product Description	Light Source/Lamp Holder	CRI (Ra)	Class	Height (mm)	Length (mm)	Width (mm)
KSR95157	Navara 11w 3000K IP67 COB LED 1M Strip with 1M Lead	INTEGRATED LED	90	III	4.5	1000	10.5
KSR95158	Navara 11w 4000K IP67 COB LED 1M Strip with 1M Lead	INTEGRATED LED	90	III	4.5	1000	10.5
KSR95159	Navara 11w 6000K IP67 COB LED 1M Strip with 1M Lead	INTEGRATED LED	90	III	4.5	1000	10.5
KSR95160	Navara 11w 2700K IP67 COB LED 3M Strip with 1M Lead	INTEGRATED LED	90	III	4.5	3000	10.5
KSR95161	Navara 11w 3000K IP67 COB LED 3M Strip with 1M Lead	INTEGRATED LED	90	III	4.5	3000	10.5
KSR95162	Navara 11w 4000K IP67 COB LED 3M Strip with 1M Lead	INTEGRATED LED	90	III	4.5	3000	10.5
KSR95163	Navara 11w 6000K IP67 COB LED 3M Strip with 1M Lead	INTEGRATED LED	90	III	4.5	3000	10.5
KSR95164	Navara 11w 2700K IP67 COB LED 5M Strip with 1M Lead	INTEGRATED LED	90	III	4.5	5000	10.5
KSR95165	Navara 11w 3000K IP67 COB LED 5M Strip with 1M Lead	INTEGRATED LED	90	III	4.5	5000	10.5
KSR95166	Navara 11w 4000K IP67 COB LED 5M Strip with 1M Lead	INTEGRATED LED	90	III	4.5	5000	10.5
KSR95167	Navara 11w 6000K IP67 COB LED 5M Strip with 1M Lead	INTEGRATED LED	90	III	4.5	5000	10.5

KSR Lighting is constantly developing and improving its products. For this reason, all product descriptions in this data sheet are intended as a general guide, and KSR may change specifications from time to time in the interest of product development, without prior notification or public announcement. All descriptions in this data sheet present only general particulars of the goods to which they refer and shall not form part of any contract. Data in this guide has been obtained in controlled experimental conditions. However, KSR Lighting cannot accept any liability arising from the reliance on such data to the extent permitted.

KSR95159

NAVARA 11W 6000K IP67 COB LED 1M STRIP WITH 1M LEAD

GENERAL INFORMATION

IP Rating	67
Input Voltage (V)	24
Class	III
Dimmable	Driver dependant
Length (mm)	1000
Width (mm)	10.5
Warranty (Years)	3

Height (mm)	4.5
Supplied Cable Length (mm)	1000
Internal Or External Use	INTERNAL or EXTERNAL
CRI (Ra)	90
Box Quantity	1
Body (Material)	PCB / Silicone

KSR Lighting is constantly developing and improving its products. For this reason, all product descriptions in this data sheet are intended as a general guide, and KSR may change specifications from time to time in the interest of product development, without prior notification or public announcement. All descriptions in this data sheet present only general particulars of the goods to which they refer and shall not form part of any contract. Data in this guide has been obtained in controlled experimental conditions. However, KSR Lighting cannot accept any liability arising from the reliance on such data to the extent permitted.