

Nautilus GU10 Spotlights

Residential Lighting

Product Information

The Nautilus IP20 Spotlights are suitable for 35w GU10 lamps and are suitable for LED GU10 lamps.

These fittings are available in 4 versions: A Single, Double, Triple and a Quad bar making them ideal for domestic and residential applications where an IP rating is required.

Product Features

- 1 year warranty
- IP20
- Suitable for 35w GU10 lamps and LED GU10 lamps
- Class I
- 350° Rotation and 45° Tilt
- 4 versions available
- Dimmable dependant on lamp type used

KSR6220



KSR6221



KSR6222



KSR6223



Product Specification

Product Code	Product Description	Wattage (W)	CCT (K)	Lumens (lm)	Protection Class
KSR6220	Nautilus IP44 Single Spotlight	1x35w max	Varies	Varies	I
KSR6221	Nautilus IP44 Double Spotlight	2x35w Max	Varies	Varies	I
KSR6222	Nautilus IP44 Triple Spotlight	3x35w Max	Varies	Varies	I
KSR6223	Nautilus IP44 Quad Spotlight	4x35w Max	Varies	Varies	I

Nominal voltage	220~240VAC
Operating frequency	50/60Hz
Circuit Wattage	35w Max GU10 Halogen or GU10 LED
Ambient temperature range	0°C to +30°C
IP rating	20

Construction

Body: Pressed Steel


Standards

BSEN60598-1:2015 Luminaires – Part 1: General requirements and tests


In Conformity with

LVD	Low voltage directive 2014/35/EU
EMC	Electromagnetic compatibility directive 2014/30/EU
ERP	Energy related products directive 2009/125/EC
RoHS	Restriction of hazardous substances 2011/65/EU


Product Dimensions




KSR6220CH



KSR6221CH



KSR6222CH



KSR6223CH

KSR Lighting is constantly developing and improving its products. For this reason, all product descriptions in this data sheet are intended as a general guide, and KSR may change specifications from time to time in the interest of product development, without prior notification or public announcement. All descriptions in this data sheet present only general particulars of the goods to which they refer and shall not form part of any contract. Data in this guide has been obtained in controlled experimental conditions. However, KSR Lighting cannot accept any liability arising from the reliance on such data to the extent permitted.