

Moby Spotlight Range

Exterior Recessed Lighting



Data Sheet

Product Information

Moby LED Spotlights are ideal for lighting wall perimeters for Pathways, feature lighting and wall washing applications.

With a range of attachment options available and 2 colour temperature options this spotlight offers an effective versatile Solution.

Comes with a 2 year warranty for your peace of mind.

Product Features

- 2 year warranty
- IP66
- Class I
- 9w 3000K LED and 26w 4000K LED options
- 9w Option Beam Angle 70°
- 26w Option Beam Angle 39°
- Integrated Non-Dimmable Driver
- Up to 40,000hr Life Expectancy



KSR7174



KSR7174 with KSR7175



KSR7174 with KSR7176

Product Specification

Product Code	Product Description	Wattage (W)	CCT (K)	Lumens (lm)	CRI (Ra)	Energy Efficiency Class	Protection Class
KSR7172	Moby 9w LED IP66 Spotlight	9	3000	1008	82	A+	I
KSR7173	Moby LED Mounting Spike						
KSR7174	Moby 26w LED IP66 Spotlight	26	4000	2700	82	A+	I
KSR7175	Moby Anti-Glare Shroud Accessory						
KSR7176	Moby Anti-Glare Cross Visor Accessory						

Technical Data	9w Moby	26w Moby
Nominal voltage	220-240VAC	220-240VAC
Operating frequency	50/60Hz	50/60Hz
Circuit Wattage	11.42w including losses	26w including losses
Circuit Current	0.052A	0.034A
Driver Current rating	500mA	500mA
PFC	0.92	0.85
In Rush Current	0.519A Max Peak	0.65A Max Peak
Ambient temperature range	-10°C~+30°C	-10°C~+30°C
Start time	< 0.5 sec	< 0.5 sec
IP rating	66	66

Construction

Body: Cast Aluminium
Diffuser: Transparent Glass

Standards


BSEN60598-1:2015 Luminaires – Part 1: General requirements and tests

In Conformity with


LVD Low voltage directive 2014/35/EU
EMC Electromagnetic compatibility directive 2014/30/EU
ERP Energy related products directive 2009/125/EC
RoHS Restriction of hazardous substances 2011/65/EU

Product Dimensions


KSR7172



KSR7173



KSR7174



KSR Lighting is constantly developing and improving its products. For this reason, all product descriptions in this data sheet are intended as a general guide, and KSR may change specifications from time to time in the interest of product development, without prior notification or public announcement. All descriptions in this data sheet present only general particulars of the goods to which they refer and shall not form part of any contract. Data in this guide has been obtained in controlled experimental conditions. However, KSR Lighting cannot accept any liability arising from the reliance on such data to the extent permitted.