

Qr Pro

IP65

GU10

Downlights



Data Sheet


Product Information

The Qr Pro range of IP65 downlights are the perfect for downlighting any areas including bathrooms. All fittings will take up to 10W GU10 retro fit LED lamps.

Complete with a 1 year warranty for your peace of mind.

Product Features

- 1 year warranty
- Class II
- IP65
- Three rim options available: Chrome, Satin Chrome and White
- Push Fit Terminal Block
- Lamp not supplied



Product Specification

Product Code	Product Description	Wattage (W)	CCT (K)	Lumens (lm)	CRI (Ra)	Energy Efficiency Class	Protection Class
KSRFRD404	Qr Pro GU10 IP65 White Bezel	10w LED max					II
KSRFRD405	Qr Pro GU10 IP65 Chrome Bezel	10w LED max					II
KSRFRD406	Qr Pro GU10 IP65 Satin Chrome Bezel	10w LED max					II
KSRDL400	Qr Pro Fixed Recessed frame	10w LED max					II
KSRDL402	Qr Pro GU10 lamp holder & Push Fit terminal	10w LED max					II

Nominal voltage	220~240V
Operating frequency	50-60Hz
Ambient temperature range	-20°C~+40°C
IP rating	65

Standards

BSEN60598-1:2015 Luminaires – Part 1: General requirements and tests


In Conformity with

LVD	Low voltage directive 2014/35/EU
EMC	Electromagnetic compatibility directive 2014/30/EU
ERP	Energy related products directive 2009/125/EC
RoHS	Restriction of hazardous substances 2011/65/EU

Construction

Body	Steel Body
Bezel	Aluminium

Product Dimensions



KSR Lighting is constantly developing and improving its products. For this reason, all product descriptions in this data sheet are intended as a general guide, and KSR may change specifications from time to time in the interest of product development, without prior notification or public announcement. All descriptions in this data sheet present only general particulars of the goods to which they refer and shall not form part of any contract. Data in this guide has been obtained in controlled experimental conditions. However, KSR Lighting cannot accept any liability arising from the reliance on such data to the extent permitted.