

Qr Pro IP20 Tilt GU10 WiZ

Smart Lighting



Data Sheet

Product Information

KSR Lighting have been working with WiZ on integrating our existing range of downlights with the smart technology provided by WiZ. The outcome of this venture means we can now bring you Smart enabled products such as our Qr Pro IP20 Tilt GU10 downlights that have all the properties of our existing popular downlights with the ability to control them using the WiZ App.

Complete with a 5 year warranty for your peace of mind.

Product Features

- 5 year warranty
- Class II
- IP20
- 5.5w 2700K or 4000K LED Lamp options
- Tuneable White (2700K-6500K) + RGB Option
- Colour rim options available
- Push Fit Terminal Block
- Works with Google Assistant, Alexa, Siri Shortcuts and IFTTT
- Seamless easy pairing
- Control anywhere
- WiFi Enabled without the need for a restrictive bridge
- 24/7 App Support
- Life expectancy up to 25,000 hours



WiZ

#ConnectedLight

THE ULTIMATE LIGHT EXPERIENCE



NO HUB
NEEDED



CONTROL
ANYWHERE



VOICE CONTROL



MULTI-USER



www.ksrlighting.com

KSR Qr Pro IP20 Tilt GU10 Wiz Range-DS – 1st July 2019


YOUR VOICE IS THE KEY



GOOGLE ASSISTANT



AMAZON'S ALEXA




APPLE'S SIRI

DYNAMIC LIGHT SCENES



APP HIGHLIGHTS



ONE OF THE TOP CONNECTED LIGHT APPS

A professional grade lighting control system that can manage hundreds of lights in multiple locations.



QUICK LIGHT CONTROL

Our widget lets you control your lights even when you haven't unlocked your phone.



THE RIGHT LIGHT AT THE RIGHT MOMENT

Scheduled presets let you customize the default light that comes on throughout the day.

THE ULTIMATE LIGHTING CONTROL APP



Home screen



Schedules



Scenes



The heart of the WIZ Connected system is the App which is easy to use and is available to download from the App Store or Google Play for use on a multitude of devices.

The App is a professional grade lighting control system. Standing out from other lighting control apps with its scalability; it can effortlessly manage hundreds of lights in multiple locations. The App will guide you through pairing your luminaires, then how to control, group, schedule and set scenes.

Multiple homes:

- Auto-swap based on the WiFi network you are connected too

Multiple user management/sharing:

- Owner: Remote access to all settings and lights from anywhere (e.g. 4G wireless, etc)
- Guest: Local access to light (WiFi only)
- Temporary guest: expiration date for local access

Grouping:

- Easy grouping, simply pick the lights in the room you want grouped then drag and drop them

Advance light settings:

- Default intensity
- Fade-in/Fade-out times



3 Types of schedules:

Active schedules -

- Per light mode (including brightness change) and per room
- With a beginning and an end (which can revert back to the previous mode)

Scheduled pre-sets -

- With between 2 and 5 phases that can be customized by the user
- Background schedules that can be triggered by voice, IFTTT-like event (e.g. geofencing) etc.
- Well-being meets energy saving (dimming preference)

Quick light control:

- The widget lets you control your lights even when you haven't unlocked your phone

Night light mode:

- One button touch to turn on a low powered night light mode

All On/Off:

- Just hold the On or Off button on a lamp and you get the option to turn on or off all the WiZ Connected lights in your home

Multi-language:

- The App interface and FAQ are available in 7 languages - English, French, German, Dutch, Spanish, Italian and Russian

Chat support:

- 24/7 support is available directly from the App



Vacation mode -

- Simple scheduled events to simulate presence in the morning and evening while you are not there, automatically disabling your scheduled events enabled/disabled by the flick of a switch



Product Specification

Product Code	Product Description	Wattage (W)	CCT (K)	Lumens (lm)	CRI (Ra)	Energy Efficiency Class	Protection Class
KSRWIZ125	Qr Pro Wiz GU10 2700K LED Tilt Downlight White	5.5	2700	425	80	A+	II
KSRWIZ126	Qr Pro Wiz GU10 2700K LED Tilt Downlight Black	5.5	2700	425	80	A+	II
KSRWIZ127	Qr Pro Wiz GU10 2700K LED Tilt Downlight Chrome	5.5	2700	425	80	A+	II
KSRWIZ128	Qr Pro Wiz GU10 2700K LED Tilt Downlight Satin Chrome	5.5	2700	425	80	A+	II
KSRWIZ129	Qr Pro Wiz GU10 4000K LED Downlight White	5.5	4000	425	80	A+	II
KSRWIZ130	Qr Pro Wiz GU10 4000K LED Downlight Black	5.5	4000	425	80	A+	II
KSRWIZ131	Qr Pro Wiz GU10 4000K LED Downlight Chrome	5.5	4000	425	80	A+	II
KSRWIZ132	Qr Pro Wiz GU10 4000K LED Downlight Satin Chrome	5.5	4000	425	80	A+	II
KSRWIZ133	Qr Pro Wiz GU10 RGB + CCT LED Downlight White	6.7	Variable white and RGB	Up to 450lm	80	A+	II
KSRWIZ134	Qr Pro Wiz GU10 RGB + CCT LED Downlight Black	6.7	Variable white and RGB	Up to 450lm	80	A+	II
KSRWIZ135	Qr Pro Wiz GU10 RGB + CCT LED Downlight Chrome	6.7	Variable white and RGB	Up to 450lm	80	A+	II
KSRWIZ136	Qr Pro Wiz GU10 RGB + CCT LED Downlight Satin Chrome	6.7	Variable white and RGB	Up to 450lm	80	A+	II

Nominal voltage	220~240V
Operating frequency	50-60Hz
Ambient temperature range	-20°C~+40°C
Start time	< 0.5 sec
IP rating	20


Standards

BSEN60598-1:2015 Luminaires – Part 1: General requirements and tests

In Conformity with

LVD	Low voltage directive 2014/35/EU
EMC	Electromagnetic compatibility directive 2014/30/EU
ERP	Energy related products directive 2009/125/EC
RoHS	Restriction of hazardous substances 2011/65/EU

Product Dimensions



KSR Lighting is constantly developing and improving its products. For this reason, all product descriptions in this data sheet are intended as a general guide, and KSR may change specifications from time to time in the interest of product development, without prior notification or public announcement. All descriptions in this data sheet present only general particulars of the goods to which they refer and shall not form part of any contract. Data in this guide has been obtained in controlled experimental conditions. However, KSR Lighting cannot accept any liability arising from the reliance on such data to the extent permitted.