

240V LED

Undershelf lights

Cabinet/Display Lighting



Product Information

Our 240v LED Undershelf lights are ideal for lighting applications where accent lighting is required.

This range is well suited to residential and domestic applications.

Product Features

- 2 year warranty
- Class II
- IP20
- Available in 3000K and 4000K
- Available in 2 styles
- 240v supply No drivers required
- Available in White and Satin Chrome
- Non-dimmable

KSRCL170 – Can Be recessed



KSRCL171



www.ksrlighting.com

Product Specification

Product Code	Product Description	Wattage (W)	ССТ (К)	CRI (Ra)	Lumens (Im)	Protection Class
KSRCL170	1.5w 3000K LED Surface/Recessed 240V Cabinet Light	1.5w	3000	84	110	11
KSRCL171	1.5w 4000K LED Surface/Recessed 240V Cabinet Light	1.5w	4000	84	130	11
KSRCL172	1.5w 3000K LED Triangle 240V Cabinet Light	1.5w	3000	84	110	11
KSRCL173	1.5w 4000K LED Triangle 240V Cabinet Light	1.5w	4000	84	110	11

Technical Data	Undercabinet Round Light	Undercabinet Triangle Light
Nominal voltage	220~240VAC	220~240VAC
Operating frequency	50Hz	50Hz
Circuit Wattage	1.5w	1.5w
Circuit Current	0.006 A	0.006 A
Driver Current Rating	N/A	N/A
PFC	0.94	0.94
In Rush Current	ТВС	ТВС
Ambient temperature range	-10°c to +30°c	-10°c to +30°c
IP rating	20	20

Construction

<tbody:</tr>Body:PolycarbonateDiffuser:Clear Polycarbonate

Standards

BSEN60598-1:2021 Luminaires – Part 1: General requirements and tests

In Conformity with

LVD	Low voltage directive 2014/35/EU
EMC	Electromagnetic compatibility directive 2014/30/EU
ERP	Energy related products directive 2019/2020/EU
RoHS	Restriction of hazardous substances 2015/863/EU

www.ksrlighting.com

Product Dimensions

KSRCL170/1



KSRCL172/3



KSR Lighting is constantly developing and improving its products. For this reason, all product descriptions in this data sheet are intended as a general guide, and KSR may change specifications from time to time in the interest of product development, without prior notification or public announcement. All descriptions in this data sheet present only general particulars of the goods to which they refer and shall not form part of any contract. Data in this guide has been obtained in controlled experimental conditions. However, KSR Lighting cannot accept any liability arising from the reliance on such data to the extent permitted.

www.ksrlighting.com