



# Orsay Range

*Exterior Wall Lighting*




Data Sheet

## Product Information

The Orsay range are perfect for residential and commercial applications where a decorative finish is desired. This range is supplied in an anthracite finish.

This Range is available in 3 versions, a down wall light, Up/Down wall light and a Bollard version



## Product Features

- 2 year warranty
- Class I
- IP55
- Supplied in 3000K as standard
- CRI: Ra81
- Strong Cast Aluminium Body
- Available as a wall light or Bollard
- L70 - 30,000hrs

# Product Specification

Product Code	Product Description	Wattage (W)	CCT (K)	Lumens (lm)	CRI (Ra)	Energy Efficiency Class 2021	Protection Class
KSR7150	Orsay 9w LED Down Wall Light	9w	3000	688	82	G	I
KSR7151	Orsay 2x 5w LED Up/Down Wall Light	2x5w	3000	502	82	G	I
KSR7152	Orsay 9w LED 500mm Bollard light	9w	3000	688	82	G	I

Technical Data	Orsay Down wall light	Orsay Up/Down wall light
Nominal voltage	220~240VAC	220~240VAC
Operating frequency	50/60Hz	50/60Hz
Circuit Wattage	10.78w including driver losses	2x5w
Circuit Current	0.048A	0.048A
Driver mA Rating	N/A	N/A
PFC	0.96	0.96
In Rush Current	TBC	TBC
Ambient temperature range	-20°C to +30°C	-20°C to +30°C
IP rating	55	55

## Construction

Body: Cast Aluminium

## Standards


BSEN60598-1:2021      Luminaires – Part 1: General requirements and tests

## In Conformity with


LVD                      Low voltage directive 2014/35/EU  
EMC                     Electromagnetic compatibility directive 2014/30/EU  
ERP                      Energy related products directive 2019/2020/EU  
RoHS                    Restriction of hazardous substances 2015/863/EU

# Product Dimensions


**KSR7150**



**KSR7151**



**KSR7152**



KSR Lighting is constantly developing and improving its products. For this reason, all product descriptions in this data sheet are intended as a general guide, and KSR may change specifications from time to time in the interest of product development, without prior notification or public announcement. All descriptions in this data sheet present only general particulars of the goods to which they refer and shall not form part of any contract. Data in this guide has been obtained in controlled experimental conditions. However, KSR Lighting cannot accept any liability arising from the reliance on such data to the extent permitted.