

Ogive Wall light

Recessed Wall Lighting



Data Sheet

Product Information

The Ogive recessed Spotlights are perfect for accent lighting and give a contemporary look to any stairs.

These fittings are ideally suited for residential applications and domestic applications.

Product Features

- 2 year warranty
- Complete with Driver
- Class II
- 3000K as standard
- CRI: Ra80
- L70 – 30,000hrs



Product Specification

| Product Code | Product Description | Wattage (W) | CCT (K) | Lumens (lm) | Protection Class |
|--------------|----------------------------------|-------------|---------|-------------|------------------|
| KSR7259 | Ogive 1w LED Recessed Wall Light | 1w | 3000 | 61 | II |

| | |
|---------------------------|----------------|
| Nominal voltage | 220~240VAC |
| Operating frequency | 50/60Hz |
| Circuit Wattage | 1w LED |
| Circuit Current | 0.03A |
| Driver Current Rating | 350mA |
| PFC | 0.35 |
| In Rush Current | 0.08 Max Peak |
| Ambient temperature range | -10°C to +30°C |
| IP rating | 20 |

Construction

Body: Aluminium


Standards

BSEN60598-1:2021 Luminaires – Part 1: General requirements and tests

In Conformity with

LVD Low voltage directive 2014/35/EU
EMC Electromagnetic compatibility directive 2014/30/EU
ERP Energy related products directive 2019/2020/EC
RoHS Restriction of hazardous substances 2015/863/EU

Product Dimensions



KSR Lighting is constantly developing and improving its products. For this reason, all product descriptions in this data sheet are intended as a general guide, and KSR may change specifications from time to time in the interest of product development, without prior notification or public announcement. All descriptions in this data sheet present only general particulars of the goods to which they refer and shall not form part of any contract. Data in this guide has been obtained in controlled experimental conditions. However, KSR Lighting cannot accept any liability arising from the reliance on such data to the extent permitted.

www.ksrlighting.com