

Cabello RGB Kit

Exterior Recessed Lighting



Data Sheet

Product Information

The Cabello RGB decking light kit is ideal for placing the 10 heads in decking to show steps or lighting the perimeter.

Supplied as a complete kit with all connectors, driver and RF remote control giving you the flexibility of remotely turning them on/off/dimming or selecting multiple colour options with the receiver hidden away with a range of up to 30m.

Comes with a 2 year warranty for your peace of mind.

Product Features

- 2 year warranty
- Class II (Heads Class III)
- IP67 (IP20 remote)
- Instant on
- 10x 0.4W RGB LED heads
- Controllable via a RF signal receiver and hand remote control
- Effective control ranges up to 30m
- Driver supplied
- Decking installations only
- L70 – 25,000hrs



Product Specification

Product Code	Product Description	Wattage (W)	CCT (K)	Energy Efficiency Class 2021	Protection Class
KSR1334RGB	Cabello 10x 0.4W RGB LED 10 Light Decking Kit	10x 0.4W	RGB	G	II

Nominal voltage	240VAC
Operating frequency	50Hz
Ambient temperature range	-10°C~+40°C
Start time	< 0.5 sec
IP rating	67
Supply Cable	H05RN-F 2x 1.0mm ²

Construction

Body: Plastic
Rim: 304 Stainless Steel


Standards

BSEN60598-1:2021 Luminaires – Part 1: General requirements and tests
BSEN60598-2.2:2014+A1:2020 Luminaires – Part 2: Particular Requirements for Recessed Luminaires

In Conformity with

LVD Low voltage directive 2014/35/EU
EMC Electromagnetic compatibility directive 2014/30/EU
ERP Energy related products directive 2019/2020/EU
RoHS Restriction of hazardous substances 2015/863/EU

Product Dimensions



KSR Lighting is constantly developing and improving its products. For this reason, all product descriptions in this data sheet are intended as a general guide, and KSR may change specifications from time to time in the interest of product development, without prior notification or public announcement. All descriptions in this data sheet present only general particulars of the goods to which they refer and shall not form part of any contract. Data in this guide has been obtained in controlled experimental conditions. However, KSR Lighting cannot accept any liability arising from the reliance on such data to the extent permitted.