

# Manta E27 Wall Lantern

*Lanterns*



Data Sheet

## Product Information

The Manta E27 wall lantern fitting range comes with optional PIR controls.

With its traditional styling this fitting is ideal for Domestic Applications.

## Product Features

- 1 year warranty
- Class II
- IP44
- PIR Version available
- Suitable for high Saline areas
- Suitable for use up a 26w Halogen Lamp or 10w E27 LED retrofit lamp
- Available in Black

# Product Specification

Product Code	Product Description	Wattage (W)	Energy Efficiency Class	Protection Class
KSR1158BLK	Manta E27 Half Wall Lantern	26w Max	Lamp Dependant	II
KSR1159BLK	Manta E27 Half Wall Lantern with on/off PIR	26w max	Lamp Dependant	II

Nominal voltage	220~240VAC
Operating frequency	50/60Hz
Circuit Wattage	26w E27 Lamp Max
Circuit Current	Dependant on lamp choice
Driver Current Rating	N/A
PFC	Dependant on lamp choice
In Rush Current	Dependant on lamp choice
Ambient temperature range	-10°c to +40°c
IP rating	44

## PIR Specification

Detection Range	130°
Reach	0-12m
Time Settings	5 sec – 5mins Adjustable
Light Control	5-2000Lux

## Construction

Body: Polycarbonate  
Diffuser: Opal Polycarbonate


## Standards

BSEN60598-1:2021      Luminaires – Part 1: General requirements and tests


## In Conformity with

ERP      Energy related products directive 2009/125/EC  
RoHS      Restriction of hazardous substances 2015/863/EU

# Product Dimensions



## KSR1158BLK



## KSR1159BLK

KSR Lighting is constantly developing and improving its products. For this reason, all product descriptions in this data sheet are intended as a general guide, and KSR may change specifications from time to time in the interest of product development, without prior notification or public announcement. All descriptions in this data sheet present only general particulars of the goods to which they refer and shall not form part of any contract. Data in this guide has been obtained in controlled experimental conditions. However, KSR Lighting cannot accept any liability arising from the reliance on such data to the extent permitted.