


# Tierra Bollard Range

Bollards



Data Sheet

## Product Information

The Tierra Bollard Range is a Square bollard range suitable for use with 23w E27 lamps. Available in Anthracite Only.

Traditional bollard suitable for Domestic or Commercial Applications

## Product Features

- 1 year warranty
- Class I
- IP55
- Suitable for use with E27 23w Max lamps
- Available in an Anthracite finish

# Product Specification

Product Code	Product Description	Wattage (W)	Lamp Cap	Lumens (lm)	CRI (Ra)	Energy Efficiency Class	Protection Class
KSR7165	Tierra E27 600mm Bollard	23w Max	E27	Varies	Varies	Lamp dependant	I
KSR7166	Tierra E27 900mm Bollard	23w Max	E27	Varies	Varies	Lamp Dependant	I
Accessories							
KSR3184	IP68 Watertight Clamp Single Connection Device 3 pole						
KSR3185	IP68 Loop In/Out Watertight connection box						

Nominal voltage	220~240VAC
Operating frequency	50-60Hz
Circuit Wattage	Dependant on Lamp Choice
Temperature Range	0°c to 30°c
IP rating	IP55

## Construction

Body:	Cast Aluminium
Lens:	Opal Polycarbonate

## Standards


BSEN60598-1:2021      Luminaires – Part 1: General requirements and tests

## In Conformity with


LVD	Low voltage directive 2014/35/EU
EMC	Electromagnetic compatibility directive 2014/30/EU
ERP	Energy related products directive 2019/2020/EU
RoHS	Restriction of hazardous substances 2015/863/EU

# Product Dimensions

**KSR7165**



**KSR7166**



KSR Lighting is constantly developing and improving its products. For this reason, all product descriptions in this data sheet are intended as a general guide, and KSR may change specifications from time to time in the interest of product development, without prior notification or public announcement. All descriptions in this data sheet present only general particulars of the goods to which they refer and shall not form part of any contract. Data in this guide has been obtained in controlled experimental conditions. However, KSR Lighting cannot accept any liability arising from the reliance on such data to the extent permitted.