



# Monda LED Bulkhead

*Exterior Bulkheads*



Data Sheet

## Product Information

The updated KSR **Monda LED Bulkheads** now with a **slim** & streamlined appearance are available with 3 diffuser options Clear, Opal or Red making them an ideal range for many internal or external applications including **Security & Amenity**.

## Product Features

- 2 year warranty
- Class II
- 10W LED
- 4000K
- IP65
- IK08
- Clear, Opal or Red diffuser versions available
- Multiple entry Points
- L70 – 30,000Hrs

KSR1170CL



KSR1170OP



# Product Specification

Product Code	Product Description	Wattage (W)	CCT (K)	Lumens (lm)	CRI (Ra)	Protection Class
KSR1170CL	Monda 10W 4000K LED Polycarbonate Bulkhead with Clear Diffuser	10W	4000	1135	>85	II
KSR1170OP	Monda 10W 4000K LED Polycarbonate Bulkhead with Opal Diffuser	10W	4000	1045	>86	II
KSR1170RD	Monda 10W 4000K LED Polycarbonate Bulkhead with Red Diffuser	10W	4000	270	>68	II


<b>Nominal voltage</b>	220~240VAC
<b>Operating frequency</b>	50/60Hz
<b>Circuit Wattage</b>	9.83W including driver losses
<b>Circuit Current</b>	0.052A
<b>Driver mA Rating</b>	130mA
<b>PFC</b>	0.82
<b>In Rush Current</b>	TBC
<b>Ambient temperature range</b>	0°C to +35°C
<b>IP rating</b>	65

## Construction

Body: Polycarbonate  
Lens: Polycarbonate

## Product Dimensions

### KSR1170



KSR Lighting is constantly developing and improving its products. For this reason, all product descriptions in this data sheet are intended as a general guide, and KSR may change specifications from time to time in the interest of product development, without prior notification or public announcement. All descriptions in this data sheet present only general particulars of the goods to which they refer and shall not form part of any contract. Data in this guide has been obtained in controlled experimental conditions. However, KSR Lighting cannot accept any liability arising from the reliance on such data to the extent permitted.