



Product Information

The Siena Wall Pack Slim range of CCT LED bulkheads are available in three versions - standard, photocell or emergency. All versions are available in either Black or White. Integral driver and switchable 15W CCT LED choose between 3000K, 4000K or 6000K.

Complete with a 2 year warranty.



Product Features

- 2 year warranty
- IP65
- Class II
- IK10
- 15W
- Switchable CCT LED
- 3000K/4000K/6000K
- Suitable for High Saline areas
- Non Dimmable
- Emergency version
- Integrated Photocell version
- L70 30,000hrs

Product Specification

| Product Code | Product Description | Wattage (W) | Lumens (Im) | CRI (Ra) | CCT (K) | Energy Efficiency Class 2021 | Protection Class |
|-----------------|---|----------------|----------------|-------------|-------------------------|------------------------------------|---------------------|
| KSR1173 | Siena Slim 15W Triple CCT LED Wall Pack | 15 | 1013 | >83 | 3000K 4000K 6000K | F | II |
| | | | 1143 | | | | |
| | | | 1043 | | | | |
| KSR1174 | Siena Slim 15W Triple CCT LED Wall Pack with Photocell | 15 | 1013 | >83 | 3000K 4000K 6000K | F | II |
| | | | 1143 | | | | |
| | | | 1043 | | | | |
| KSR1175 | Siena Slim 15W Triple CCT LED Emergency Wall Pack | 15 | 1013 | >83 | 3000K 4000K 6000K | F | II |
| | | | 1143 | | | | |
| | | | 1043 | | | | |

| Nominal voltage | 240V |
|---------------------|--------------------------|
| Operating frequency | 50Hz |
| IP rating | 65 |
| Start time | <0.5 sec |
| IK Rating | 10 |
| Photocell | |
| Lux Setting | On <30 lux – Off >70 lux |

Construction

Body: ABS (Acrylonitrile Butadiene Styrene)

Diffuser: PC (Polycarbonate) Opal

Standards


BSEN60598-1:2021 Luminaires – Part 1: General requirements and tests

In Conformity with

LVD Low voltage directive 2014/35/EU

EMC Electromagnetic compatibility directive 2014/30/EU ERP Energy related products directive 2019/2020/EU RoHS Restriction of hazardous substances 2015/863/EU

Product Dimensions



KSR Lighting is constantly developing and improving its products. For this reason, all product descriptions in this data sheet are intended as a general guide, and KSR may change specifications from time to time in the interest of product development, without prior notification or public announcement. All descriptions in this data sheet present only general particulars of the goods to which they refer and shall not form part of any contract. Data in this guide has been obtained in controlled experimental conditions. However, KSR Lighting cannot accept any liability arising from the reliance on such data to the extent permitted.