

Ronda Range

External Wall Lights



Data Sheet

Product Information

The Ronda range consists of two Wall lights that are designed complement each other, with its Up/Down illumination this fitting is ideal for applications where wall lighting approach is required.

Complete with a 5 year warranty.

Product Features

- 5 year warranty
- Class I
- IP65
- IK06
- LED SMD technology
- 2 outputs to choose from 9w and 13w
- 3000K and 4000K Options
- High CRI of >ra82
- L70 30,000hrs

Product Specification

Product Code	Product Description	Wattage (W)	ССТ (К)	Lumens (Im)	CRI (Ra)	Energy Efficiency Class 2021	Protection Class
KSR4140	Ronda 9w LED Wall Light 3000K	9	3000	469	83	G	Ι
KSR4141	Ronda 9w LED Wall Light 4000K	9	4000	498	84	G	Ι
KSR4142	Ronda 13w LED Wall Light 3000K	13	3000	1217	82	G	1
KSR4143	Ronda 13w LED Wall Light 4000K	13	4000	1278	83	G	I

Technical Data	9w Ronda	13w Ronda
Nominal voltage	220-240VAC	220-240VAC
Operating frequency	50/60Hz	50/60Hz
Circuit Wattage	8.9w including losses	18.7w including losses
Circuit Current	0.08A	0.08A
Driver Current rating	350mA	N/A
PFC	0.48	0.95
In Rush Current	0.360A Max Peak	ТВС
Ambient temperature range	-10°c~+30°c	-10°c~+30°c
Start time	< 0.5 sec	< 0.5 sec
IP rating	65	65

Construction

<tbody:</tr>Body:Die cast AluminiumDiffuser:Glass

Standards

BSEN60598-1:2021 Luminaires – Part 1: General requirements and tests

In Conformity with

LVD	Low voltage directive 2014/35/EU
EMC	Electromagnetic compatibility directive 2014/30/EU
ERP	Energy related products directive 2019/2020/EU
RoHS	Restriction of hazardous substances 2015/863/EU

Product Dimensions

KSR4140-41



KSR4142-43



KSR Lighting is constantly developing and improving its products. For this reason, all product descriptions in this data sheet are intended as a general guide, and KSR may change specifications from time to time in the interest of product development, without prior notification or public announcement. All descriptions in this data sheet present only general particulars of the goods to which they refer and shall not form part of any contract. Data in this guide has been obtained in controlled experimental conditions. However, KSR Lighting cannot accept any liability arising from the reliance on such data to the extent permitted.

www.ksrlighting.com