

Moby Square LED

Exterior Wall Lighting



Data Sheet

Product Information

The Moby Square LED wall lights are suitable for highlighting wall features for commercial and domestic applications. Also available in 2 versions a down light and an Up/Down light.

With its Die-cast design and anodization this fitting is suitable for Coastal areas.

Product Features

- 2 year warranty
- IP65
- Class I
- 55° Beam angle
- 9w 3000K LED head
- Strong Cast Aluminium Body
- Integrated non-dimmable driver
- L70 - 30,000hrs



Product Specification

Product Code	Product Description	Wattage (W)	CCT (K)	Lumens (lm)	CRI (Ra)	Energy Efficiency Class 2021	Protection Class
KSR7192	Moby 9w LED Square Wall Downlight	9w	3000	900	80	F	I
KSR7193	Moby 2x9w LED Square Wall Up & Downlight	18w	3000	1900	80	F	I

Technical data	Moby Square Down	Moby Square Up/Down
Nominal voltage	220~240VAC	220~240VAC
Operating frequency	50/60Hz	50/60Hz
Circuit Wattage	11.38w	20.98w
Circuit Current	0.052A	0.06A
Driver mA Rating	500mA	500mA
PFC	0.92	0.81
In Rush Current	2.13A max peak	2.15A max peak
Ambient temperature range	-20°C to +55°C	-20°C to +55°C
IP rating	65	65

Construction

Body: Cast Aluminium
Lens: Clear Glass



Standards

BSEN60598-1:2021 Luminaires – Part 1: General requirements and tests



In Conformity with

LVD Low voltage directive 2014/35/EU
EMC Electromagnetic compatibility directive 2014/30/EU
ERP Energy related products directive 2019/2020/EU
RoHS Restriction of hazardous substances 2015/863/EU

Product Dimensions



KSR7192



KSR7193

KSR Lighting is constantly developing and improving its products. For this reason, all product descriptions in this data sheet are intended as a general guide, and KSR may change specifications from time to time in the interest of product development, without prior notification or public announcement. All descriptions in this data sheet present only general particulars of the goods to which they refer and shall not form part of any contract. Data in this guide has been obtained in controlled experimental conditions. However, KSR Lighting cannot accept any liability arising from the reliance on such data to the extent permitted.